Aquaculture

VOLS. 408–409 CONTENTS 15 SEPTEMBER 2013

(Abstracts/contents list published in: Aquatic Science and Fisheries Abstracts, Biological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Current Contents A, B & ES, EMBiology, Environment Abstracts, Freshwater and Aquaculture Contents Tables, Geo Abstracts, Geobase, Marine Science Contents Tables, Zoological Record). Also covered in the abstract and citation database SciVerse Scopus®. Full text available in SciVerse ScienceDirect®

Diseases

Tissue distribution and field evaluation of caprylic acid against natural infections of *Sparicotyle chrysophrii* in cage-reared gilthead sea bream *Sparus aurata*
G. Rigos, E. Fountoulaki, E. Cotou, E. Dotsika (Athens, Greece), N. Dourala (Argolida, Greece) and I. Karacostas (Velestino, Greece) 15

Is horizontal transmission of the Ostreid herpesvirus OsHV-1 in *Crassostrea gigas* affected by unselected or selected survival status in adults to juveniles?
D. Lionel, T. Guyader, D. Tourbiez and J.-F. Pépin (La Tremblade, France) 51

Dietary supplementation of garlic (*Allium sativum*) to prevent monogenean infection in aquaculture
T.A. Militz, P.C. Southgate, A.G. Carton and K.S. Hutson (Townsville, Queensland, Australia) 95

Effect of control strategies on the persistence of fish-borne zoonotic trematodes: A modelling approach
A.S. Boerlage, E.A.M. Graat, J.A. Verreth and M.C.M. de Jong (Wageningen, The Netherlands) 106

Low-value fish used as feed in aquaculture were a source of furunculosis caused by atypical *Aeromonas salmonicida*
D.-H. Kim, S.-Y. Choi, C.-S. Kim, M.-J. Oh (Yeosu, Republic of Korea) and H.-D. Jeong (Busan, Republic of Korea) 113

Characterization of the Mx and hepcidin genes in *Epinephelus akaara* asymptomatic carriers of the nervous necrosis virus
M.-G. Mao (Fujian, Liaoning, PR China), J.-L. Jiang (Fujian, PR China), A. Perálvarez-Marín (Cerdanyola del Vallés, Spain), K.-J. Wang (Fujian, PR China) and J.-L. Lei (Fujian, Shandong, Liaoning, PR China) 175

Genetics

A comparison of communal and separate rearing of families in selective breeding of common carp (*Cyprinus carpio*): Responses to selection
N.H. Ninh (Bac Ninh, Viet Nam; Scotland, UK), R.W. Ponzoni (Penang, Malaysia), N.H. Nguyen (Penang, Malaysia; Maroochydore, QLD, Australia), J.A. Woolliams, J.B. Taggart, B.J. McAndrew and D.J. Penman (Scotland, UK) 152

Genome-wide association testing reveals quantitative trait loci for fillet texture and fat content in Atlantic salmon
M. Sodeland, M. Gaarder (Aas, Norway), T. Moen (Trondheim, Norway), M. Thomassen (Aas, Norway), S. Kjøglum (Trondheim, Norway), M. Kent and S. Lien (Aas, Norway) 169

Adaptation of fish farming production to the environmental characteristics of the receiving marine ecosystems: A proxy to carrying capacity
I. Karakassis, N. Papageorgiou, I. Kalantzi, K. Sevastou (Crete, Greece) and C. Koutsikopoulos (Patras, Greece) 184

Nutrition

Effect of photoperiod and feeding schedule on growth and survival of larvae of the fighting conch *Strombus pugilis* Linné, 1758 (Mollusca, Gastropoda)
N. Brito-Manzano (Tabasco, Mexico) and D. Aldana-Aranda (Yucatán, Mexico) 47

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- **Table of Contents NOW WITH ABSTRACTS**
- **Full Search on Abstracts, Authors and Keywords**
- **Author and Subject Index**

Bookmark: http://www.elsevier.com/locate/aqua-online or http://www.elsevier.com/locate/aqua-online

0044-8486(20130915)408/409C;1-H

Available online at www.sciencedirect.com

SciVerse ScienceDirect

(contents continued from back cover)

Use of alternative lipids and finishing feeds to improve nutritional value and food safety of hybrid striped bass
C.C. Crouse, R.A. Kelley, J.T. Trushenski and M.J. Lydy (IL, USA) 58

The purine nucleotides guanine, adenine and inosine are a dietary requirement for optimal growth of black tiger prawn, *P. monodon*
H. Do Huu (Brisbane, Queensland, Middle Street, Cleveland, Australia), S. Tabrett (Middle Street, Cleveland, Australia), K. Hoffmann, P. Köppel (Augst, Switzerland) and A.C. Barnes (Brisbane, Queensland, Australia) 100

Hepatic triacylglycerol secretion, lipid transport and tissue lipid uptake in blunt snout bream (*Megalobrama amblycephala*) fed high-fat diet
K.-L. Lu, W.-N. Xu, X.-F. Li, W.-B. Liu, L.-N. Wang and C.-N. Zhang (Nanjing, People's Republic of China) 160

Physiology and Endocrinology: Fish

The use of concentrated extenders to improve the efficacy of cryopreservation in whitefish spermatozoa
A. Ciereszko, G.J. Dietrich, J. Nynca, E. Liszewska, H. Karol (Olsztyn, Poland) and S. Dobosz (Żukowo, Poland) 30

Effects of egg size, maternal age and temperature on egg, viability of farmed Arctic charr
H. Jeuthe, E. Brännäs and J. Nilsson (Umeå, Sweden) 70

Optimization of dietary macronutrients for Atlantic salmon post-smolts using increasing ration levels
B. Grisdale-Helland (Sunndalsøra, Norway; College Station, TX, USA), D.M. Gatlin III (College Station, TX, USA) and S.J. Helland (Sunndalsøra, Norway; College Station, TX, USA) 88

Sperm biology of *Merluccius australis*: Sperm structure, semen characteristics and effects of pH, temperature and osmolality on sperm motility
B. Effer, E. Figueroa (Temuco, Chile), A. Augsburger (Chile, Chile) and I. Valdebenito (Temuco, Chile) 147

The relationship between growth and sex differentiation in the European sea bass (*Dicentrarchus labrax*)
N. Díaz, L. Ribas and F. Piferrer (Barcelona, Spain) 191

Physiology and Endocrinology: Molluscs and Crustaceans

Growing reared spider crabs (*Maja squinado*) to sexual maturity: The first empirical data and a predictive growth model
J. Durán (Islas Baleares, Spain), M. Palmer (Illes Balears, Spain) and E. Pastor (Islas Baleares, Spain) 78

Molecular identification of insulin-related peptide receptor and its potential role in regulating development in *Pinctada fucata*
Y. Shi, Y. Guan and M. He (Guangzhou, China) 118

Separation of *Penaeus vannamei* haemocyte subpopulations by iodixanol density gradient centrifugation
J.J. Dantas-Lima, V.V. Tuan, M. Corteel, K. Grauwet, N.T.T. An (Merelbeke, Belgium), P. Sorgeloos (Gent, Belgium) and H.J. Nauwynck (Merelbeke, Belgium) 128

Physiological responses to depuration and transport of native and exotic clams at different temperatures
P. Anacleto, A.L. Maulvault (Lisbon, Portugal), S. Barrento (Swansea, UK), R. Mendes, M.L. Nunes (Lisbon, Portugal), R. Rosa (Lisboa, Portugal) and A. Marques (Lisbon, Portugal) 136

Production Science

Beauties and beasts: A portrait of sea slugs aquaculture
G. Dionísio (Aveiro, Cascais, Portugal), R. Rosa (Cascais, Portugal), M.C. Leal (Aveiro, Portugal; Savannah, GA, USA), S. Cruz, C. Brandão (Aveiro, Portugal), G. Calado (Lisbon, Caparica, Portugal), J. Serôdio and R. Calado (Aveiro, Portugal) 1

Weight ratios of the kelps, *Alaria esculenta* and *Saccharina latissima*, required to sequester dissolved inorganic nutrients and supply oxygen for Atlantic salmon, *Salmo salar*, in Integrated Multi-Trophic Aquaculture systems
G.K. Reid (Saint John, St. Andrews, New Brunswick, Canada), T. Chopin (Saint John, New Brunswick, Canada), S.M.C. Robinson (Saint John, St. Andrews, New Brunswick, Canada), P. Azevedo (Winnipeg, MB, Canada), M. Quinton (Guelph, ON, Canada) and E. Belyea (Saint John, New Brunswick, Canada) 34

Sustainability and Society

Aquaculture species selection method applied to marine fish in the Caribbean
L. Alvarez-Lajonchère (Ciudad de La Habana, Cuba) and L. Ibarra-Castro (Sinaloa, Mexico) 20